

## LIST OF CONTENTS

### Numbers 1-2

	iii	Editorial
S. B. Sinnott, O. A. Shenderova, C. T. White and D. W. Brenner	1	Mechanical properties of nanotubule fibers and composites determined from theoretical calculations and simulations
P. J. M. Carrott, M. M. L. Ribeiro Carrott and J. M. V. Nabais	11	Influence of surface ionization on the adsorption of aqueous mercury chlorocomplexes by activated carbons
R. Fu, Y. Lu, W. Xie and H. Zeng	19	The adsorption and reduction of Pt (IV) on activated carbon fibre
C. U. Pittman, Jr, W. Jiang, G.-R. He and S. D. Gardner	25	Oxygen plasma and isobutylene plasma treatments of carbon fibers: Determination of surface functionality and effects on composite properties
T. J. Badosz and Q. Le	39	Evaluation of surface properties of exhausted carbons used as H <sub>2</sub> S adsorbents in sewage treatment plants
A. M. Puziy and O. I. Poddubnaya	45	The properties of synthetic carbon derived from nitrogen- and phosphorus-containing polymer
Z. Wang, Z. Lu, X. Huang, R. Xue and L. Chen	51	Chemical and crystalline structure characterizations of polyfurfuryl alcohol pyrolyzed at 600°C
Ch. Y. Li, Y. Z. Wan, J. Wang, Y. L. Wang, X. Q. Jiang and L. M. Han	61	Antibacterial pitch-based activated carbon fiber supporting silver
A. G. Alvarez, M. Molina- Sabio and F. Rodríguez- Reinoso	67	An X-Ray scattering investigation of the carbonization of olive stones
M. C. Paiva, M. Nardin, D. D. Edie and C. A. Bernardo	71	Ribbon fibres from naphthalene-based mesophase: Surface studies and fibre/matrix interactions in polycarbonate composites
Y. Korai, S.-H. Hong and I. Mochida	79	Meso-scale texture of mesophase pitch and its spun fiber
G. G. Kuvshinov, Yu. I. Mogilnykh, D. G. Kuvshinov, V. I. Zaikovskii and L. B. Avdeeva	87	Peculiarities of filamentous carbon formation in methane decomposition on Ni-containing catalysts
L. J. Piscitelle, N. Roberts and R. Segars	99	Analysis and comparison of two mathematical models using effluent vapor breakthrough data from carbon filter beds
F. Rodríguez-Reinoso, P. Santana, E. Romero Palazon, M.-A. Diez and H. Marsh	105	Delayed coking: Industrial and laboratory aspects
T. Takeichi, Y. Eguchi, Y. Kaburagi, Y. Hishiyama and M. Inagaki	117	Carbonization and graphitization of kapton-type polyimide films prepared from polyamide alkyl ester

<b>C. L. Mangun, M. A. Daley, R. D. Braatz and J. Economy</b>	123	Effect of pore size on adsorption of hydrocarbons in phenolic-based activated carbon fibers
<b>J. Ozaki, M. Mitsui and Y. Nishiyama</b>	131	Carbonization of ferrocene containing polymers and their electrochemical properties
<b>H. A. Yu, T. Taneko, S. Ohtani, Y. Sasaki and S. Yoshimura</b>	137	A carbonaceous thin film made by CVD and its application for a carbon/n-type silicon (C/n-Si) photovoltaic cell
<b>C. Moreno-Castilla, F. Carrasco-Marín, F. J. Maldonado-Hódar and J. Rivera-Utrilla</b>	145	Effects of non-oxidant and oxidant acid treatments on the surface properties of an activated carbon with very low ash content
<b>S. Hirsch and P. Jung</b>	153	Dimensional changes and creep of glassy carbon under proton irradiation

## Number 3

iii Editorial

v Obituary

*Plenary Lecture*

<b>F. Rodríguez-Reinoso</b>	159	The role of carbon materials in heterogeneous catalysis
<b>A. Becker and K.J. Hüttinger</b>	177	Chemistry and kinetics of chemical vapor deposition of pyrocarbon-II. Pyrocarbon deposition from ethylene, acetylene and 1,3-butadiene in the low temperature regime
<b>A. Becker and K.J. Hüttinger</b>	201	Chemistry and kinetics of chemical vapor deposition of pyrocarbon-III. Pyrocarbon deposition from propylene and benzene in the low temperature regime
<b>A. Becker and K.J. Hüttinger</b>	213	Chemistry and kinetics of chemical vapor deposition of pyrocarbon-IV. Pyrocarbon deposition from methane in the low temperature regime
<b>A. Becker and K.J. Hüttinger</b>	225	Chemistry and kinetics of chemical vapor deposition of pyrocarbon-V. Influence of reactor volume/deposition surface area ratio
<b>P.M. Adams, H.A. Katzman, G.S. Rellick and G.W. Stupian</b>	233	Characterization of high thermal conductivity carbon fibers and a self-reinforced graphite panel
<b>A. Contescu, M. Vass, C. Contescu, K. Putyera and J.A. Schwarz</b>	247	Acid buffering capacity of basic carbons revealed by their continuous pK distribution
<b>H. Zeng, L. Zhu, G. Hao and R. Sheng</b>	259	Synthesis of various forms of carbon nanotubes by AC arc discharge
<b>B. Rubio, M.T. Izquierdo and A.M. Mastral</b>	263	Influence of low-rank coal char properties on their SO <sub>2</sub> removal capacity from flue gases. 2. Activated chars
<b>E. Ruckenstein and Y.H. Hu</b>	269	Catalytic preparation of narrow pore size distribution mesoporous carbon

<b>L.E. Cascarini De Torre, E.J. Bottani, A. Martínez- Alonso, A. Cuesta, A.B. García and J.M.D. Tascón</b>	277	Effects of oxygen plasma treatment on the surface of graphitized carbon black
<b>S. Wang and G.Q. Lu</b>	283	Effects of acidic treatments on the pore and surface properties of Ni catalyst supported on activated carbon
<b>Y.-G. Ryu, S.-I. Pyun, C.-S. Kim and D.-R. Shin</b>	293	A study on the formation of surface functional groups during the oxygen reduction on a platinum-dispersed carbon electrode in an 85% H <sub>3</sub> PO <sub>4</sub> solution at elevated temperature
<b>Y. Kaburagi and Y. Hishiyama</b>	299	<i>Letters to the Editor</i> Field exponent $n$ of transverse magnetoresistance ( $\Delta\rho/\rho_0 \propto B^n$ ) in graphite crystals
<b>Y. Matsuo and Y. Sugie</b>	301	Preparation, structure and electrochemical property of pyrolytic carbon from graphite oxide
<b>P. Lodewyckx and E.F. Vansant</b>	304	The dynamic adsorption of water vapour on activated carbon
<b>N. Sundaram and R.T. Yang</b>	305	Incorporating Henry's law in the Dubinin isotherm
<b>H. Benaddi, D. Legras, J.N. Rouzaud and F. Beguin</b>	306	Influence of the atmosphere in the chemical activation of wood by phosphoric acid
<b>D. Cazorla-Amorós, C. Salinas-Martínez de Lecea, J. Alicañiz-Monge, M. Gardner, A. North and J. Dore</b>	309	Characterization of activated carbon fibers by small angle x-ray scattering
	313	TANSO No. 179 – Abstracts
	315	CARBON News
	318	Carbon Calendar

## Number 4

<b>V. D. Blank, S. G. Buga, G. A. Dubitsky, N. R. Serebryanaya, M. Y. Popov and B. Sundqvist</b>	319	High-pressure polymerized phases of C <sub>60</sub>
		<i>Plenary Lecture</i>
<b>D. D. Edie</b>	345	The effect of processing on the structure and properties of carbon fibers
<b>F. Stoeckli</b>	363	Recent developments in Dubinin's theory
<b>Y. Korai, S.-H. Yoon, H. Oka, I. Mochida, T. Nakamura, I. Kato and Y. Sakai</b>	369	The properties of co-oligomerized mesophase pitch from methylnaphthalene and naphthalene catalyzed by HF/BF <sub>3</sub>
<b>Y. Kawabuchi, H. Oka, S. Kawano, I. Mochida and N. Yoshizawa</b>	377	The modification of pore size in activated carbon fibers by chemical vapor deposition and its effects on molecular sieve selectivity

<b>F. Kang, Y. Leng, T.-Y. Zhang and B. Li</b>	383	Electrochemical synthesis and characterization of ferric chloride-graphite intercalation compounds in aqueous solution
<b>H.-G. Busmann and I. V. Hertel</b>	391	Vapour grown polycrystalline diamond films: microscopic, mesoscopic and atomic surface structures
<b>G. Emig, N. Popovska, G. Schoch and T. Stumm</b>	407	The coating of continuous carbon fiber bundles with SiC by chemical vapor deposition: a mathematical model for the CVD process
<b>R. Leboda, J. Skubiszewska-Zięba and W. Grzegorzcyk</b>	417	Effect of calcium catalyst loading procedure on the porous structure of active carbon from plum stones modified in the steam gasification process
<b>Z. Ryu, J. Zheng and M. Wang</b>	427	Porous structure of pan-based activated carbon fibers
<b>K. Kamegawa, K. Nishikubo and H. Yoshida</b>	433	Oxidative degradation of carbon blacks with nitric acid (I)—changes in pore and crystallographic structures
<b>P. Salatino, O. Senneca and S. Masi</b>	443	Gasification of a coal char by oxygen and carbon dioxide
<b>B. Cao, L. Zhou, Z. Shi, X. Zhou, Z. Gu, H. Xiao and J. Wang</b>	453	Preparation of high yield higher fullerenes

*Letters to the Editor*

<b>Yu.V. Pokonova</b>	457	Carbon adsorbents for the sorption of arsenic
<b>X. Fu and D. D. L. Chung</b>	459	Submicron-diameter-carbon filament cement-matrix composites
<b>Y. Yosida</b>	463	Observations of a precursor for carbon nanotubes in the hard deposit obtained in dc arc experiments
<b>J. S. Qiu, Y. Zhou, L. N. Wang and S. C. Tsang</b>	465	Formation of carbon nanotubes and encapsulated nanoparticles from coals with moderate ash contents
<b>P. Bezot and C. Hesse-Bezot</b>	467	Fractal structure of carbon black agglomerates
<b>K. Esumi, T. Fujii, T. Hosokawa and H. Honda</b>	470	Rheological behavior of carbonaceous gel in organic solvents
	473	Book Review
	475	TANSO No. 180 – Abstracts
	479	Carbon Calendar

Numbers 5-6

	iii	Foreword
	iv	Technical Program
<b>P. Scharff</b>	481	New carbon materials for research and technology
<b>G. Van Tendeloo, D. Bernaerts and S. Amelinckx</b>	487	Reduced dimensionality in different forms of carbon
<b>P. Milani, M. Ferretti, A. Parisini, C. E. Bottani, M. A. Malvezzi and A. Cavalleri</b>	495	Synthesis of carbon nano- and meso-structures by laser-induced coalescence of fullerenes



<b>T. Cabioc'H, M. Jaouen and J. C. Girard</b>	499	Thin film of spherical carbon onions onto silver
<b>H. E. Roman, A. Lorenzoni, G. Benedek and R. A. Broglia</b>	503	Fractal carbon clusters: modelling new forms of carbon
<b>M. Sharon, K. Mukhopadhyay, K. Yase, S. Iijima, Y. Ando and X. Zhao</b>	507	Spongy carbon nanobeads — A new material
<b>T. Ya. Gorbach, L. A. Matveeva, S. V. Svechnikov, A. V. Vasi and E. F. Venger</b>	513	Auger spectroscopic investigation of a-C:H films on silicon microrelief substrates
<b>M. Urbanová, Z. Bastl, Z. Plzák, J. Šubrt, I. Gregora, V. Vorlíček and J. Pola</b>	517	Laser photolysis of liquid benzene and hexafluorobenzene: Graphitic and polymeric carbon formation at ambient temperature
<b>V. Dřínek, M. Urbanová, Z. Bastl, I. Gregora, V. Vorkíček, J. Šubrt and J. Pola</b>	521	IR laser induced chemical vapour deposition of carbonaceous phases from 3-butyn-2-one
<b>E. Muñoz, A. M. Benito, L. C. Estepa, J. Fernández, Y. Maniette, M. T. Martínez and G. F. de la Fuente</b>	525	Structures of soot generated by laser induced pyrolysis of metal-graphite composite targets
<b>H.-G. Busmann, U. Brauneck and H.-W. David</b>	529	Fullerenes as the parent molecule for the deposition of tetrahedral carbon
<b>C. E. Bottani, A. C. Ferrari, A. Li. Bassi, P. Milani, M. Ferretti and P. Piseri</b>	535	Brillouin scattering of cluster-assembled carbon films
<b>S. Logothetidis, M. Gioti and Ch. Lioutas</b>	539	New forms of hydrogen-free amorphous carbon films
<b>Ch. B. Lioutas, N. Vouroutzis, S. Logothetidis and S. Bouladakis</b>	545	Phase transformation of hydrogen free amorphous carbon films under ion beam bombardment
<b>N. Kovtyukhova, E. Buzaneva and A. Senkevich</b>	549	Ultrathin supported graphite oxide and carbon films
<b>A. H. Lettington</b>	555	Applications of diamond-like carbon thin films
<b>Ph. Redlich, F. Banhart, Y. Lyutovich and P. M. Ajayan</b>	561	EELS study of the irradiation-induced compression of carbon onions and their transformation to diamond
<b>J. Muller, F. Antoni, E. Fogarassy and F. Le Normand</b>	565	HFCVD diamond nucleation and growth on DLC carbon films obtained by laser ablation
<b>H. Jeon, C. Lee, A. Hatta, T. Ito, T. Sasaki and A. Hiraki</b>	569	Enhancement of diamond nucleation by applying substrate bias in ECR plasma chemical vapour deposition
<b>G. A. J. Amaratunga, M. Chhowalla, K. G. Lim, D. A. I. Munindradasa, S. D. Pringle, M. Baxendale, I. Alexandrou, C. J. Kiely and B. Keyse</b>	575	Electronic properties of tetrahedral amorphous carbon (ta-C) films containing nanotube regions

- E. V. Grigoryev, V. N. Savenko, 581** Synthesis of diamond crystals from oxygen-acetylene flames on a metal substrate at low temperature  
**D. V. Sheglov, A. V. Matveev, V. A. Cherepanov, A. S. Zolkin and B. A. Kolesov**
- E. Rzepka, A. Lusson, 587** Raman scattering investigations of semiconducting diamond-like carbon thin films and fibers obtained from camphor  
**E. A. Ponomarev, K. Mukhopadhyay, M. Sharon and C. Lévy-Clément**
- S. Aoqui, K. Ebihara and 591** Diamond-like carbon film preparation and surface coatings of oxide superconducting and ferroelectric films  
**Y. Yamagata**
- S. M. Jarkov, Ya. N. Titarenko 595** Electron microscopy studies of FCC carbon particles  
**and G. N. Churilov**
- J. Winter and H. Kuzmany 599** Physical properties and phase transitions in  $AC_{60}$
- A. Mrzel, P. Umek, P. Cevc, 603** Magnetic ordering at 20K and below in the  $C_{60}$  and  $C_{70}$   
**A. Omerzu and D. Mihailovic** based fullerene salts
- F. Rachdi, L. Hajji, H. Dollt, 607** NMR investigation of the azafullerene  $(C_{59}N)_2$  and the  
**M. Ribet, T. Yildirim, J. E. Fischer, C. Goze, M. Mehring, A. Hirsch and B. Nuber** alkali fullerenes  $Na_xC_{60}$  with  $x = 2, 4$  and  $6$
- B. Pietzak, M. Waiblinger, 613** Properties of endohedral  $N@C_{60}$   
**T. Almeida Murphy, A. Weidinger, M. Höhne, E. Dietel and A. Hirsch**
- T. Danno, K. Shiozawa, 617** XPS analysis of single crystal  $RbC_{60}$  surface  
**M. Haluška and H. Kuzmany**
- Yuriy I. Prilutski 621** Structure and intermolecular phonons study of solid  $C_{70}$
- J. Fink, T. Pichler, M. Knupfer, 625** Electronic structure studies of intercalated, hetero and  
**M. S. Golden, S. Haffner, R. Friedlein, U. Kirbach, P. Kuran and L. Dunsch** endohedral fullerenes
- A. A. Ovcharov and 633** The static waves of atomic displacements accumulation  
**M. D. Starostenkov** effect, inside a zone of elastic to plastic transformation
- J. A. Nisha, M. Premila, 637** UV-irradiation studies on  $C_{70}$  clusters in mixed solvents  
**V. Sridharan, C. S. Sundar and T. S. Radhakrishnan**
- I. Manika, J. Maniks and 641** Atmosphere-induced change of microhardness and  
**J. Kalnacs** plasticity of  $C_{60}$  single crystals and polycrystalline films
- D. Drews and D. R. T. Zahn 645** Initial phase of  $C_{60}$  deposition on Si(100) and  
**GaAs(100) studied *in situ* by Raman spectroscopy**
- N. Kirova, L. Firlej and 649** Field induced diffusion of gold and related phase  
**A. Zahab** transformations in fullerenes  $C_{60}$  and  $C_{70}$
- J. Kürti and P. Rajczy 653** Cross-over in the structure of the charged  $(C_{60})_n^{n-}$   
**oligomers**
- B. Sundqvist, U. Edlund, 657** Structural and physical properties of pressure  
**P. Jacobsson, D. Johnels, J. Jun, P. Launois, R. Moret, P.-A. Persson, A. Soldatov and T. Wågberg** polymerized  $C_{60}$

- B. Burger, H. Kuzmany, T. M. Nguyen, H. Sitter, M. Walter, K. Martin and K. Müllen** 661 Structural analysis of phototransformed  $C_{60}$  by vibrational and mass spectroscopy
- V. D. Blank, S. G. Buga, N. R. Serebryanaya, G. A. Dubitsky, B. N. Mavrin, M. Yu. Popov, R. H. Bagramov, V. M. Prokhorov, S. N. Sulyanov, B. A. Kulnitskiy and Ye. V. Tatyagin** 665 Structures and physical properties of superhard and ultrahard 3D polymerized fullerites created from solid  $C_{60}$  by high pressure high temperature treatment
- J. Schell, D. Ohlmann, B. Hönerlage, R. Levy, M. Joucla, J. L. Rehspringer, J. Serughetti and C. Bovier** 671 Induced absorption in fullerene-doped solid xerogel matrices
- P. Bernier, W. Maser, C. Journet, A. Loiseau, M. L. de la Chapelle, S. Lefrant, R. Lee and J. E. Fischer** 675 Carbon single wall nanotubes: Elaboration and properties
- A. M. Benito, Y. Maniette, E. Muñoz and M. T. Martínez** 681 Carbon nanotubes production by catalytic pyrolysis of benzene
- D. Laplaze, P. Bernier, W. K. Maser, G. Flamant, T. Guillard and A. Loiseau** 685 Carbon nanotubes: The solar approach
- L. P. Biró, J. Gyulai, Ph. Lambin, J. B. Nagy, S. Lazarescu, G. I. Mark, A. Fonseca, P. R. Surján, Zs. Szekeres, P. A. Thiry and A. A. Lucas** 689 Scanning tunnelling microscopy (STM) imaging of carbon nanotubes
- U. Hubler, P. Jess, H. P. Lang, H.-J. Güntherodt, J.-P. Salvetat and L. Forró** 697 Scanning probe microscopy of carbon nanotubes
- Ph. Lambin, V. Meunier and L. P. Biró** 701 Elastic deformation of a carbon nanotube adsorbed on a stepped surface
- M. L. de la Chapelle, S. Lefrant, C. Journet, W. Maser, P. Bernier and A. Loiseau** 705 Raman studies on single walled carbon nanotubes produced by the electric arc technique
- H. Kuzmany, B. Burger, A. Thess and R. E. Smalley** 709 Vibrational spectra of single wall carbon nanotubes
- L. A. Chernozatonskii, E. F. Kukovitskii, A. L. Musatov, A. B. Ormont, K. R. Izraeliants and S. G. L'Vov** 713 Carbon crooked nanotube layers of polyethylene: Synthesis, structure and electron emission
- S. A. Beznosjuk, M. S. Beznosjuk and D. A. Mezentsev** 717 Electron swarming in carbon nanostructures



<b>A. A. Setlur, J. Y. Dai, J. M. Lauerhaas and R. P. H. Chang</b>	721	Formation of filled carbon nanotubes and nanoparticles using polycyclic aromatic hydrocarbon molecules
<b>H. Terrones and M. Terrones</b>	725	Fullerenes and nanotubes with non-positive Gaussian curvature
<b>T. Belz, A. Bauer, J. Find, M. Günter, D. Herein, H. Möckel, N. Pfänder, H. Sauer, G. Schulz, J. Schütze, O. Timpe, U. Wild and R. Schlögl</b>	731	Structural and chemical characterization of N-doped nanocarbons
<b>A. Loiseau, F. Willaime, N. Demoncy, N. Schramchenko, G. Hug, C. Colliex and H. Pascard</b>	743	Boron nitride nanotubes
<b>D. L. Carroll, P. Redlich, P. M. Ajayan, S. Curran, S. Roth and M. Rühle</b>	753	Spatial variations in the electronic structure of pure and B-doped nanotubes
<b>S. Logothetidis, H. Lefakis and M. Gioti</b>	757	Carbon nitride thin films prepared by reactive r.f. magnetron sputtering
<b>A. Fernández, J. C. Sánchez- López and G. Lassaletta</b>	761	Characterisation of carbon nitride thin films prepared by reactive magnetron sputtering
<b>F. Falk, J. Meinschein, K. Schuster and H. Stafast</b>	765	Properties and preparation conditions of carbon nitride thin films deposited by laser CVD
<b>Y. Suda, T. Nakazono, K. Ebihara, K. Baba and S. Aoqui</b>	771	Pulsed laser deposition of carbon nitride thin films from graphite targets
<b>R. Cireasa, A. Crunteanu, R. Alexandrescu, I. Morjan, C. Martin, I. N. Mihailescu and G. Oncioiu</b>	775	Influence of process parameters on $CN_x$ films obtained by laser-CVD at two wavelengths
<b>R. Soto, P. González, F. Lusquiños, J. Pou, B. León and M. Pérez-Amor</b>	781	Carbon nitride films prepared by guanazole laser ablation in ammonia atmosphere
<b>C. Jama and P. Goudmand</b>	785	Cold remote nitrogen plasma effects on pulsed laser deposited $CN_x$ films characteristics
<b>V. V. Artamonov, N. I. Klyui, V. P. Melnik, B. N. Romanyuk, M. Ya. Valakh, O. Vasilik, V. A. Semenovich, A. Pérez- Rodríguez and J. R. Morante</b>	791	Microraman and microhardness study of nitrogen implanted diamond-like carbon films
<b>R. Alexandrescu, S. Cojocaru, A. Crunteanu, S. Petcu, R. Cireasa, I. Voicu, I. Morjan, D. Fatu and F. Huiskens</b>	795	Laser pyrolysis of carbon-nitrogen gas-phase compounds: An attempted approach to carbon nitride formation
<b>L. Kavan</b>	801	Electrochemical preparation of hydrogen free carbyne-like materials
<b>T. Yildirim, P. M. Gehring, D. A. Neumann, P. E. Eaton and T. Emrick</b>	809	Solid cubane: A brief review



- K. Volz, J. Müller, W. Reiber, B. Rauschenbach and B. Stritzker** 817 Synthesis of epitaxial 3C-SiC by C<sub>60</sub> carbonization of silicon on sapphire
- E. D. Obratzsova, M. Fujii, S. Hayashi, V. L. Kuznetsov, Yu. V. Butenko and A. L. Chuvilin** 821 Raman identification of onion-like carbon
- M. Müller, C. Kübel, F. Morgenroth, V. S. Iyer and K. Müllen** 827 Oligophenylenes as building blocks for well-defined graphite subunits
- F. Morgenroth, C. Kübel, M. Müller, U. M. Wiesler, A. J. Berresheim, M. Wagner and K. Müllen** 833 From three-dimensional polyphenylene dendrimers to large graphite subunits
- V. Weber, M. Duval, Y. Ederlé and C. Mathis** 839 Physico-chemical behavior in solution of star-shaped polystyrene with a C<sub>60</sub> core
- 843 Carbon calendar

## Numbers 7-8

- V.A. Tyumentsev, E.A. Belenkov, G.P. Shveikin and S.A. Podkopaev** 845 The effects of sulphur and other impurities on carbon-graphite transitions
- A.B. Barnes, F.M. Dauché, N.C. Gallego, C.C. Fain and M.C. Thies** 855 As-spun orientation as an indication of graphitized properties of mesophase-based carbon fiber
- I.F. Silva, C. Palma, M. Klimkiewicz and S. Eser** 861 Kinetics, *in situ* x-ray diffraction and environmental scanning electron microscopy of activated charcoal gasification catalyzed by vanadium oxide, molybdenum oxide and their eutectic alloy
- K. Kanno, N. Koike, Y. Korai and I. Mochida** 869 Densification of carbons prepared from mesophase pitch and phenolic resin blend
- Y. Leng, J. Gu, W. Cao and T.-Y. Zhang** 875 Influences of density and flake size on the mechanical properties of flexible graphite
- A. Figueiras, M. Granda, E. Casal, J. Bermejo, J. Bonhomme and R. Menéndez** 883 Influence of primary QI on pitch pyrolysis with reference to unidirectional C/C composites
- J. Mittal, R.B. Mathur, O.P. Bahl and M. Inagaki** 893 Post spinning treatment of PAN fibers using succinic acid to produce high performance carbon fibers
- T. Budinova, M. Razvigorova, N. Petrov, V. Minkova and R. Taranjiska** 899 Catalytic hydrolysis of soya oil with carbon adsorbents
- H.M. Gajiwala, U.K. Vaidya, S.A. Sodah and S. Jeelani** 903 Hybridized resin matrix approach applied for development of carbon/carbon composites—I
- M. Koh and T. Nakajima** 913 Synthesis of well crystallized boron-carbon filament by chemical vapor deposition using a nickel catalyst

<b>V. Carlier, P. Franquinet, M. Sclavons, R. Legras, C. Poleunis, L.T. Weng, P. Bertrand and P. Dréze</b>	921	Reactivity between carbon fibres and anhydride. A study by radiochemical titration and ToF-SIMS analysis
<b>Y.-C. Zhu, S. Ohtani, Y. Sato and N. Iwamoto</b>	929	The improvement in oxidation resistance of CVD-SiC coated C/C composites by silicon infiltration pretreatment
<b>Y.G. Gogotsi and K.G. Nickel</b>	937	Formation of filamentous carbon from paraformaldehyde under high temperatures and pressures
<b>M. Granda, J.W. Patrick, A. Walker, E. Casal, J. Bermejo and R. Menendez</b>	943	Densification of unidirectional C/C composites by melted pitch impregnation
<b>F.M. Dauché, G. Bolaños, A. Blasig and M.C. Thies</b>	953	Control of mesophase pitch properties by supercritical fluid extraction
<b>V.V. Kovalevski and A.N. Safronov</b>	963	Pyrolysis of hollow carbons on melted catalyst
<b>S.S. Barton, M.J.B. Evans and J.A.F. MacDonald</b>	969	Adsorption and immersion enthalpies on BPL carbon
<b>R. Menéndez, O. Fleurot, C. Blanco, R. Santamaría, J. Bermejo and D. Edie</b>	973	Chemical and rheological characterization of air-blown coal-tar pitches
<b>K.P. Gadkaree</b>	981	Carbon honeycomb structures for adsorption applications
<b>W.G. Zhang, H.M. Cheng, T.S. Xie, Z.H. Shen, B.L. Zhou, H. Sano, Y. Uchiyama and K. Kobayashi</b>	991	Oxidation kinetics and mechanisms of ceramic-carbon composites I. Modeling for the nonreactive ceramic layer type
<b>B. Wei, J. Zhang, J. Liang and D. Wu</b>	997	The mechanism of phase transformation from carbon nanotube to diamond
<b>J.A. Alcañiz-Monge, D. Cazorla-Amorós, A. Linares-Solano, E. Morallón and J.L. Vázquez</b>	1003	Preparation of conductive carbon-ceramic composites from coal tar pitch and ceramic monoliths
<b>F. Coloma, J. Narciso-Romero, A. Sepúlveda-Escribano and F. Rodríguez-Reinoso</b>	1011	Gas phase hydrogenation of crotonaldehyde over platinum supported on oxidized carbon black
<b>M. Inagaki, H. Tachikawa, T. Nakahashi, H. Konno and Y. Hishiyama</b>	1021	The chemical bonding state of nitrogen in kapton-derived carbon film and its effect on the graphitization process
<b>M. Argudo, P. Salagre, F. Medina, X. Correig and J.E. Sueiras</b>	1027	Obtention and surface characterisation of several ash-free chars
<b>W. Benzinger and K.J. Hüttinger</b>	1033	Chemical vapor infiltration of pyrocarbon—II. The influence of increasing methane partial pressure at constant total pressure on infiltration rate and degree of pore filling

- J.M. Andrésen, Y. Martín, S.R. Moinelo, M.M. Maroto-Valer and C.E. Snape 1043 Solid state  $^{13}\text{C}$  NMR and high temperature  $^1\text{H}$  NMR determination of bulk structural properties for mesophase-containing semi-cokes prepared from coal tar pitch
- Y. Xu, L. Zhang, L. Cheng and D. Yan 1051 Microstructure and mechanical properties of three-dimensional carbon/silicon carbide composites fabricated by chemical vapor infiltration
- Y.C. Xiang, J.C. Zeng and S.Q. Yan 1057 A simplified equation for predicting breakthrough time of a fixed carbon bed
- N. Chen and R.T. Yang 1061 *Ab initio* molecular orbital calculation on graphite: selection of molecular system and model chemistry
- G. Amarasekera, M.J. Scarlett and D.E. Mainwaring 1071 Development of microporosity in carbons derived from alkali digested coal
- J. Schmidt, K.D. Moergenthaler, K.-P. Brehler and J. Arndt 1079 High-strength graphites for carbon piston applications
- M. Jagtoyen and F. Derbyshire 1085 Activated carbons from yellow poplar and white oak by  $\text{H}_3\text{PO}_4$  activation
- E. Daguerre, F. Nauguier and X. Py 1099 Alpha-relaxation of a coal tar pitch and temperature-density effects on the viscoelastic parameters analysis
- G.N. Bondarenko, V.A. Nalimova, O.V. Fateev, D. Guérard and K.N. Semenenko 1107 Vibrational spectra of superdense lithium graphite intercalation compounds
- Y. Hishiyama, A. Yoshida and M. Inagaki 1113 Structure and microtexture of graphitized carbon film derived from aromatic polyimide film Upilex
- S. Kubo, Y. Uraki and Y. Sano 1119 Preparation of carbon filbers from softwood lignin by atmospheric acetic acid pulping
- S. Shimada, M. Yoshimatsu, M. Inagaki and S. Otani 1125 Formation and characterization of carbon at the  $\text{ZrC}/\text{ZrO}_2$  interface by oxidation of  $\text{ZrC}$  single crystals
- M. Hashiba, Y. Hirohata, T. Hino, H. Shinbori, S. Deyama and H. Chiyoda 1133 Gas desorption and adsorption properties of graphite and water glass mixtures used as inner coatings of a cathode ray tube
- R. Brydson, A.V.K. Westwood, X. Jiang, S.J. Rowen, S. Collins, S. Lu, B. Rand, K. Wade and R. Coult 1139 Investigating the distribution and bonding of light elements alloyed in carbonaceous materials using eels in the TEM/STEM
- N.A. Kiselev, J. Sloan, D.N. Zakharov, E.F. Kukovitskii, J.L. Hutchison, J. Hammer and A.S. Kotosonov 1149 Carbon nanotubes from polyethylene precursors: structure and structural changes caused by thermal and chemical treatment revealed by HREM
- I.F. Silva, J. Vital, A.M. Ramos, H. Valente, A.M. Botelho do Rego and M.J. Reis 1159 Oxydehydrogenation of cyclohexanol over carbon catalysts
- A.P. Burden and J.L. Hutchison 1167 *In situ* fullerene formation—The evidence presented



- |                                                                                           |      |                                                                                                                                     |
|-------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>J. Gremmels, G. Geiger,<br/>M. Braun and<br/>K.J. Hüttinger</b>                        | 1175 | Element-substituted polyaromatic mesophases:<br>II. A comparison of various synthesis routes for boron<br>substitution              |
| <b>H. Darmstadt, C. Roy,<br/>S. Kaliaguine, J.-M. Ting<br/>and R.L. Alig</b>              | 1183 | Surface spectroscopic analysis of vapour grown carbon<br>fibres prepared under various conditions                                   |
| <b>E. Biron and M.J.B. Evans</b>                                                          | 1191 | Dynamic adsorption of water-soluble and insoluble<br>vapours on activated carbon                                                    |
| <b>F. Moguet, S. Bordère,<br/>A. Tressaud, F. Rouquerol<br/>and P. Llewellyn</b>          | 1199 | Deintercalation process of fluorinated carbon fibres.—<br>II. Kinetic study and reaction mechanisms                                 |
| <b>M. Bele, A. Kodre, I. Arčon,<br/>J. Grdadolnik, S. Pejovnik<br/>and J.O. Besenhard</b> | 1207 | Adsorption of cetyltrimethylammonium bromide on<br>carbon black from aqueous solution                                               |
| <b>C. Isola, P. Appendino,<br/>F. Bosco, M. Ferraris and<br/>M. Salvo</b>                 | 1213 | Protective glass coating for carbon-carbon composites                                                                               |
| <b>S.B. Lalvani, T. Wiltowski,<br/>A. Hübner, A. Weston and<br/>N. Mandich</b>            | 1219 | Removal of hexavalent chromium and metal cations by<br>a selective and novel carbon adsorbent                                       |
| <b>K. Kawamura</b>                                                                        | 1227 | Electron spin resonance (ESR) behaviour of pitch-based<br>carbons in the heat treatment temperature (HTT) range<br>from 1100–2000°C |

*Letters to the Editor*

- |                                                                                      |      |                                                                                                                                              |
|--------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Y.-G. Wang, Y.-C. Chang and<br/>S. Ishida</b>                                     | 1231 | Preparation of mesocarbon microbeads from a synthetic<br>isotropic pitch through two stage heat treatment in the<br>presence of carbon black |
| <b>N. Kawase, A. Yasuda,<br/>T. Matsui, C. Yamaguchi<br/>and H. Matsui</b>           | 1234 | Carbyne-like carbon electrochemically prepared with a<br>sacrificial anode                                                                   |
| <b>T. Oyama, S. Osawa and<br/>K. Takeuchi</b>                                        | 1236 | Formation of fullerenes by pulsed-laser irradiation of<br>gaseous benzene                                                                    |
| <b>F. M. Dauché, A. B. Barnes,<br/>N. C. Gallego, D. D. Edie<br/>and M. C. Thies</b> | 1238 | Ribbon-shaped carbon fibers from supercritically<br>extracted mesophase pitches                                                              |
| <b>J. Yamashita, M. Shioya and<br/>M. Nakatani</b>                                   | 1240 | Preparation of carbon fibers and films from<br>poly(vinylidene fluoride) using chemical<br>dehydrofluorination                               |
| <b>R. Imamura, K. Matsui,<br/>J. Ozaki and A. Oya</b>                                | 1243 | Steam activation of a phosphorous-containing phenolic<br>resin-based carbon fiber                                                            |
|                                                                                      | 1231 | Carbon Calendar                                                                                                                              |

Number 9

- |                                                                                                        |      |                                                                                        |
|--------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------|
| <b>J. Pastor-Villegas,<br/>C. J. Durán-Valle,<br/>C. Valenzuela-Calahorra<br/>and V. Gómez-Serrano</b> | 1251 | Organic chemical structure and structural shrinkage of<br>chars prepared from rockrose |
|--------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------|



- |                                                                                                                                                                                                        |      |                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>H. Tamon, H. Ishizaka,<br/>T. Araki and M. Okazaki</b>                                                                                                                                              | 1257 | Control of mesoporous structure of organic and carbon aerogels                                                                                                                                            |
| <b>V. D. Blank, V. N. Denisov,<br/>A. N. Ivlev, B. N. Mavrin,<br/>N. R. Serebryanaya,<br/>G. A. Dubitsky,<br/>S. N. Sulyanov,<br/>M. Yu. Popov, N. A. Lvova,<br/>S. G. Buga and<br/>G. N. Kremkova</b> | 1263 | Hard disordered phases produced at high-pressure-high-temperature treatment of C <sub>60</sub>                                                                                                            |
| <b>G. Mul, J. P. A. Neeft,<br/>F. Kapteijn and<br/>J. A. Moulijn</b>                                                                                                                                   | 1269 | The formation of carbon surface oxygen complexes by oxygen and ozone. The effect of transition metal oxides                                                                                               |
| <b>J. Walter, H. Shioyama,<br/>Y. Sawada and S. Hara</b>                                                                                                                                               | 1277 | Electron diffraction and scanning tunneling microscope studies of TaCl <sub>5</sub> -graphite intercalation compounds                                                                                     |
| <b>R. Alexandrescu, X. Armand,<br/>M. Cauchetier, N. Herlin,<br/>S. Petcu and I. Voicu</b>                                                                                                             | 1285 | Effect of SF <sub>6</sub> addition in the laser synthesis of fullerene and soot from C <sub>6</sub> H <sub>6</sub> /O <sub>2</sub> or C <sub>6</sub> H <sub>6</sub> /N <sub>2</sub> O sensitized mixtures |
| <b>X. X. Wu, C. Y. Wang and<br/>C. T. Guo</b>                                                                                                                                                          | 1291 | Experimental scrutiny for the constitutive equation of mesophase pitch                                                                                                                                    |
| <b>Y. F. Jia, C. J. Steele,<br/>I. P. Hayward and<br/>K. M. Thomas</b>                                                                                                                                 | 1299 | Mechanism of adsorption of gold and silver species on activated carbons                                                                                                                                   |
| <b>N. J. Welham and<br/>J. S. Williams</b>                                                                                                                                                             | 1309 | Extended milling of graphite and activated carbon                                                                                                                                                         |
| <b>A. P. D'Silva</b>                                                                                                                                                                                   | 1317 | Adsorption of antioxidants by carbon blacks                                                                                                                                                               |
| <b>J. Mittal, H. Konno,<br/>M. Inagaki and O. P. Bahl</b>                                                                                                                                              | 1327 | Denitrogenation behavior and tensile strength increase during carbonization of stabilized pan fibers                                                                                                      |
| <b>R. Shi, G. Hu, H. Li and<br/>M. Kang</b>                                                                                                                                                            | 1331 | Interfacial microstructures of intrabundle in as-received carbon/carbon composites prepared by CVI                                                                                                        |
| <b>X. Fu, W. Lu and<br/>D. D. L. Chung</b>                                                                                                                                                             | 1337 | Ozone treatment of carbon fiber for reinforcing cement                                                                                                                                                    |
| <b>A. Naji, P. Willmann and<br/>D. Billaud</b>                                                                                                                                                         | 1347 | Electrochemical intercalation of lithium into graphite: influence of the solvent composition and of the nature of the lithium salt                                                                        |
| <b>M. A. de la Casa-Lillo,<br/>J. Alcañiz-Monge,<br/>E. Raymundo-Piñero,<br/>D. Cazorla-Amorós and<br/>A. Linares-Solano</b>                                                                           | 1353 | Molecular sieve properties of general-purpose carbon fibres                                                                                                                                               |
| <b>M. G. Lussier, Z. Zhang and<br/>D. J. Miller</b>                                                                                                                                                    | 1361 | Characterizing rate inhibition in steam/hydrogen gasification via analysis of adsorbed hydrogen                                                                                                           |
| <b>K. Gurudatt and V. S. Tripathi</b>                                                                                                                                                                  | 1371 | Studies on changes in morphology during carbonization and activation of pretreated viscose rayon fabrics                                                                                                  |
| <b>M. Khristova and<br/>D. Mehandjiev</b>                                                                                                                                                              | 1379 | Conversion of NO on a Ni impregnated-active carbon catalyst in the presence of oxygen                                                                                                                     |
| <b>H. Teng, T.-S. Yeh and<br/>L.-Y. Hsu</b>                                                                                                                                                            | 1387 | Preparation of activated carbon from bituminous coal with phosphoric acid activation                                                                                                                      |
| <i>Letters to the Editor</i>                                                                                                                                                                           |      |                                                                                                                                                                                                           |
| <b>H. Tamon and<br/>H. Ishizaka</b>                                                                                                                                                                    | 1397 | Porous characterization of carbon aerogels                                                                                                                                                                |

<b>Y. Hattori, K. Kobayashi, S. Kawasaki, F. Okino, K. Yanagiuchi, A. Tsuyoshi, M. Nakayama, K. Nakajima, K. Kimura and H. Touhara</b>	1399	Direct thermal fluorination of DLC surfaces
<b>C. Kim, K. Hakamada and M. Endo</b>	1401	Raman spectroscopy of Kapton-derived carbon film
<b>M. Endo, C. Kim, T. Karaki, T. Fujino, M. J. Matthews, S. D. M. Brown and M. S. Dresslhaus</b>	1403	<i>In-situ</i> Raman study on electrochemical Li insertion into polyparaphenylene-based disordered carbon
<b>J. Daji, B. Rand and M. Turpin</b>	1406	Viscoelastic behaviour of a heat treated isotropic pitch
	1411	Carbon News
	1413	Carbon Calendar

## Number 10

<b>M. J. Bojan and W. A. Steele</b>	1417	Computer simulation in pores with rectangular cross-sections
<b>Y. F. Yin, B. McEnaney and T. J. Mays</b>	1425	Dependence of GCEMC simulations of nitrogen adsorption on activated carbons on input parameters
<b>E. A. Müller and K. E. Dubbins</b>	1433	Molecular simulation study of hydrophilic and hydrophobic behavior of activated carbon surfaces
<b>A. R. Turner and N. Quirke</b>	1439	A grand canonical Monte Carlo study of adsorption on graphitic surfaces with defects
<b>M. Kruk, M. Jaroniec and J. Choma</b>	1447	Comparative analysis of simple and advanced sorption methods for assessment of microporosity in activated carbons
<b>N. Setoyama, T. Suzuki and K. Kaneko</b>	1459	Simulation study on the relationship between a high resolution $\alpha_s$ -plot and the pore size distribution for activated carbon
<b>J. P. Olivier</b>	1469	Improving the models used for calculating the size distribution of micropore volume of activated carbons from adsorption data
<b>G. M. Davies and N. A. Seaton</b>	1473	The effect of the choice of pore model on the characterization of the internal structure of microporous carbons using pore size distributions
<b>D. L. Valladares, F. Rodríguez-Reinoso and G. Zgrablich</b>	1491	Characterization of active carbons: The influence of the method in the determination of the pore size distribution
<b>F. Villiéras, R. Leboda, B. Charmas, F. Bardot, G. Gérard and W. Rudzinski</b>	1501	High resolution argon and nitrogen adsorption assessment of the surface heterogeneity of carbosils
<b>D. Nicholson</b>	1511	Simulation studies of methane transport in model graphite micropores
<b>Y. D. Chen and R. T. Yang</b>	1525	Surface and mesoporous diffusion with multilayer adsorption
<b>D. D. Do and K. Wang</b>	1539	A new model for the description of adsorption kinetics in heterogeneous activated carbon
	1555	Carbon Calendar

## Number 11

- |                                                                                                                                 |      |                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------|
| Y. Suzin, L. C. Buettner and<br>C. A. LeDuc                                                                                     | 1557 | Behavior of impregnated activated carbons heated to the point of oxidation                                                |
| Y. L. Wang, Y. Z. Wan,<br>X. H. Dong, G. X. Cheng,<br>H. M. Tao and T. Y. Wen                                                   | 1567 | Preparation and characterization of antibacterial viscose-based activated carbon fiber supporting silver                  |
| A. R. Chughtai,<br>M. M. O. Atteya, J. Kim,<br>B. K. Konowalchuk and<br>D. M. Smith                                             | 1573 | Adsorption and adsorbate interaction at soot particle surfaces                                                            |
| W. G. Zhang, H. M. Cheng,<br>H. Sano, Y. Uchiyama,<br>K. Kobayashi, L. J. Zhou,<br>Z. H. Shen and B. L. Zhou                    | 1591 | The effects of nanoparticulate SiC upon the oxidation behavior of C-SiC-B <sub>4</sub> C composites                       |
| Q. Guo, J. Song, L. Liu and<br>B. Zhang                                                                                         | 1597 | Factors influencing oxidation resistance of B <sub>4</sub> C/C composites with self-healing properties                    |
| M. S. P. Shaffer, X. Fan and<br>A. H. Windle                                                                                    | 1603 | Dispersion and packing of carbon nanotubes                                                                                |
| A. Burian, A. Ratuszna,<br>J. C. Dore and<br>S. W. Howells                                                                      | 1613 | Radial distribution function analysis of the structure of activated carbons                                               |
| F. A. Quli, P. A. Thrower and<br>L. R. Radovic                                                                                  | 1623 | Effects of the substrate on deposit structure and reactivity in the chemical vapor deposition of carbon                   |
| M. Endo, C. Kim, T. Karaki,<br>T. Kasai, M. J. Matthews,<br>S. D. M. Brown,<br>M. S. Dresselhaus, T. Tamaki<br>and Y. Nishimura | 1633 | Structural characterization of milled mesophase pitch-based carbon fibers                                                 |
| G. C.-J. Jou                                                                                                                    | 1643 | Application of activated carbon in a microwave radiation field to treat trichloroethylene                                 |
| A. S. Kotosonov and<br>D. V. Shilo                                                                                              | 1649 | Electron spin resonance study of carbon nanotubes                                                                         |
| Y.-C. Chang, H.-J. Sohn,<br>Y. Korai and I. Mochida                                                                             | 1653 | Anodic performances of coke from coals                                                                                    |
| A. C. Lua and J. Guo                                                                                                            | 1663 | Preparation and characterization of chars from oil palm waste                                                             |
| Y. Kaburagi and Y. Hishiyama                                                                                                    | 1671 | Electronic properties of kish graphite crystals with low values of residual resistivity ratio                             |
| M. J. B. Evans, E. Halliop,<br>S. Liang and<br>J. A. F. MacDonald                                                               | 1677 | The effect of chlorination on surface properties of activated carbon                                                      |
| K. Whitty, R. Backman and<br>M. Hupa                                                                                            | 1683 | Influence of char formation conditions on pressurised black liquor gasification rates                                     |
| E. Asari, M. Kitajima and<br>K. G. Nakamura                                                                                     | 1693 | A kinetic study of the recovery process of radiation damage in ion-irradiated graphite using real-time raman measurements |
| <i>Letters to the Editor</i>                                                                                                    |      |                                                                                                                           |
| S. Matzner and H. P. Boehm                                                                                                      | 1697 | Influence of nitrogen doping on the adsorption and reduction of nitric oxide by activated carbons                         |



- |                                                                        |      |                                                                                                                                                          |
|------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>N. Iwashita, I. Izumi,<br/>Y. Hamada and Y. Ohnishi</b>             | 1700 | Photosensitization of graphite intercalation compounds with metal chlorides                                                                              |
| <b>A. P. Terzyk, P. A. Gauden,<br/>G. Rychlicki and R. Wojsz</b>       | 1703 | New relationships between the characteristic energy of nitrogen adsorption (at 77.5 K) and the average effective diameter of carbon slit-like micropores |
| <b>M. Inagaki, Y. Okada,<br/>V. Vignal, H. Konno and<br/>K. Oshida</b> | 1706 | Graphite formation from a mixture of $\text{Fe}_3\text{O}_4$ and polyvinylchloride at 1000°C                                                             |
| <b>T. Braun and H. Rausch</b>                                          | 1708 | Nuclear recoil implosion for producing endohedral radiofullerenes                                                                                        |
|                                                                        | 1711 | Carbon News                                                                                                                                              |
|                                                                        | 1717 | Book Review                                                                                                                                              |
|                                                                        | 1718 | Carbon Calendar                                                                                                                                          |

## Number 12

- |                                                                                                       |      |                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Y.-G. Lü, D. Wu, Q.-F. Zha,<br/>L. Lü and C.-L. Yang</b>                                           | 1719 | Skin-core structure in mesophase pitch-based carbon fibers: causes and prevention                                                             |
| <b>G. M. Jenkins, L. R. Holland,<br/>H. Maleki and J. Fisher</b>                                      | 1725 | Continuous production of fullerenes by pyrolysis of acetylene at a glassy carbon surface                                                      |
| <b>T. J. Parks</b>                                                                                    | 1729 | The correspondence between loss of $^1\text{H}$ -NMR signal intensity and mesophase growth during the thermal maturation of a petroleum pitch |
| <b>M. Egashira, K. Hoshii,<br/>T. Araki, Y. Korai and<br/>I. Mochida</b>                              | 1739 | Effects of fullerene addition on the carbonization of synthetic naphthalene isotropic pitch                                                   |
| <b>C. Y. Wang, M. W. Li,<br/>Y. L. Wu and C. T. Guo</b>                                               | 1749 | Preparation and microstructure of hollow mesophase pitch-based carbon fibers                                                                  |
| <b>G. Sandi, K. Song,<br/>K. A. Carrado and<br/>R. E. Winans</b>                                      | 1755 | A NEXAFS determination of the electronic structure of carbons for lithium-ion cells                                                           |
| <b>F. Beguin and H. Pilliere</b>                                                                      | 1759 | Role of the steric effects for the progress of alkanes intercalation in $\text{CsC}_{24}$                                                     |
| <b>M. El-Merraoui, H. Tamai,<br/>H. Yasuda, T. Kanata,<br/>J. Mondori, K. Nadai and<br/>K. Kaneko</b> | 1769 | Pore structures of activated carbon fibers from organometallics/pitch composites by nitrogen adsorption                                       |
| <b>P. Zhou, R. Lee, A. Claye and<br/>J. E. Fishcer</b>                                                | 1777 | Layer disorder in carbon anodes                                                                                                               |
| <b>M. Kubota, S. Tsuge,<br/>K. Kitagawa, N. Arai,<br/>N. Ushigome and Y. Kato</b>                     | 1783 | Analysis of degradation processes of carbon/carbon composites in a high temperature chemical flame by a spectrovideo camera                   |
| <b>Ph. Serp, J. L. Figueiredo,<br/>P. Bertrand and J. P. Issi</b>                                     | 1791 | Surface treatments of vapor-grown carbon fibers produced on a substrate                                                                       |
| <b>J. H. Han, K. W. Cho,<br/>K.-H. Lee and H. Kim</b>                                                 | 1801 | Porous graphite matrix for chemical heat pumps                                                                                                |
| <b>J. Walter, H. Shioyama and<br/>Y. Sawada</b>                                                       | 1811 | Scanning tunneling microscopy study of a $\text{BiCl}_3$ -graphite intercalation compound                                                     |



- E. Anglaret, N. Bendiab, T. Guillard, C. Journet, G. Flamant, D. Laplace, P. Bernier and J.-L. Sauvajol** 1815 Raman characterization of single wall carbon nanotubes prepared by the solar energy route
- A. Dandekar, R. T. K. Baker and M. A. Vannice** 1821 Characterization of activated carbon, graphitized carbon fibers and synthetic diamond powder using TPD and DRIFTS
- A. Lakhtakia, G. Y. Slepyan, S. A. Maksimenko, A. V. Gusakov and O. M. Yevtushenko** 1833 Effective medium theory of the microwave and the infrared properties of composites with carbon nanotube inclusions
- L. R. Radovic, M. Karra, K. Skokova and P. A. Thrower** 1841 The role of substitutional boron in carbon oxidation

*Letters to the Editor*

- A. P. Singh and A. D. Rey** 1855 Consistency of predicted shear-induced orientation modes with observed mesophase pitch-based carbon fiber textures
- P. J. F. Harris and S. C. Tsang** 1859 Encapsulating uranium in carbon nanoparticles using a new technique
- C. Y. Wang, Q. Z. Li, J. M. Zheng and C. T. Guo** 1861 Die-swell measurement for the evaluation of elasticity of mesophase pitches
- N. Kawase, A. Yasuda and T. Matsui** 1864 In-situ observation of formation of nanoscale carbon tubules
- L. P. Ding and S. K. Bhatia** 1866 Structural analysis of microporous carbons by nonane preadsorption
- Y. Nishi, T. Suzuki and K. Kaneko** 1870 NO reduction over ultrafine metal-tailored microporous carbon at ambient temperature

1873 Abstracts

1877 Carbon News

1881 Carbon Calendar

III Contents Volume 36

XXI Author Index

XXV Keyword Index

